



LAKI - uvjeti rada

F1 BEL
F 10




Šifra artikla		promjer			dužina
FADIP	TEHNO	cijevi		konusa	priključka
		Cola	DN	RA mm	L*
F1005	FL-06	3/16"	5	6	20
F1006	FL-08	1/4"	6	8	22
F1008	FL-10	5/16"	8	10	23
F1010	FL-12	3/8"	10	12	25
F1013	FL-15	1/2"	12	15	25
F1016	FL-18	5/8"	16	18	27
F1019	FL-22	3/4"	20	22	27
F1025	FL-28	1"	25	28	30
F1032	FL-35	1 1/4"	31	35	36

FL-90 BEL - 90°
F11



Šifra artikla		promjer			dužina
FADIP	TEHNO	cijevi		konusa	priključka
		Cola	DN	RA mm	A*
F1105	FL-90-06	3/16"	5	6	32
F1106	FL-90-08	1/4"	6	8	34
F1108	FL-90-L0	5/16"	8	10	37
F1110	FL-90-L2	3/8"	10	12	40
F1113	FL-90-L5	1/2"	12	15	46
F1116	FL-90-L8	5/8"	16	18	53
F1119	FL-90-22	3/4"	20	22	61
F1125	FL-90-28	1"	25	28	70
F1132	FL-90-35	1 1/4"	31	35	84

FL-45 BEL - 45°
F 12




Šifra artikla		promjer			dužina
FADIP	TEHNO	cijevi		konusa	priključka
		Cola	DN	RA mm	A*
F1205	FL-45-06	3/16"	5	6	19
F1206	FL-45-08	1/4"	6	8	20
F1208	FL-45-10	5/16"	8	10	20
F1210	FL-45-12	3/8"	10	12	21
F1213	FL-45-15	1/2"	12	15	24
F1216	FL-45-18	5/8"	16	18	26
F1219	FL-45-22	3/4"	20	22	29
F1225	FL-45-28	1"	25	28	33
F1232	FL-45-35	1 1/4"	31	35	38

*tolerancija


TEŽI - uvjeti rada

FT
F20




Šifra artikla		promjer			dužina
FADIP	TEHNO	cijevi		konusa	priključka
		Cola	DN	RA mm	L*
F2005	FT-08	3/16"	5	8	
F2006	FT-10	1/4"	6	10	26
F2008	FT-12	5/16"	8	12	26
F2010	FT-14	3/8"	10	14	29
F2013	FT-16	1/2"	12	16	30
F2016	FT-20	5/8"	16	20	36
F2019	FT-25	3/4"	20	25	40
F2025	FT-30	1"	25	30	44
F2032	FT-38	1 1/4"	31	38	50

FT-90
F21



Šifra artikla		promjer			dužina
FADIP	TEHNO	cijevi		konusa	priključka
		Cola	DN	RA mm	A*
F2105	FT-90-08	3/16"	5	8	
F2106	FT-90-10	1/4"	6	10	37
F2108	FT-90-12	5/16"	8	12	40
F2110	FT-90-14	3/8"	10	14	50
F2113	FT-90-16	1/2"	12	16	54
F2116	FT-90-20	5/8"	16	20	62
F2119	FT-90-25	3/4"	20	25	75
F2125	FT-90-30	1"	25	30	85
F2132	FT-90-38	1 1/4"	31	38	105

FT-45
F22




Šifra artikla		promjer			dužina
FADIP	TEHNO	cijevi		konusa	priključka
		Cola	DN	RA mm	A*
F2205	FT-45-08	3/16"	5	8	
F2206	FT-45-10	1/4"	6	10	20
F2208	FT-45-12	5/16"	8	12	21
F2210	FT-45-14	3/8"	10	14	25
F2213	FT-45-16	1/2"	12	16	28
F2216	FT-45-20	5/8"	16	20	32
F2219	FT-45-25	3/4"	20	25	37
F2225	FT-45-30	1"	25	30	42
F2232	FT-45-38	1 1/4"	31	38	50

*tolerancija

Metrični priključci sa lopatastim konusom


LAKI - uvjeti rada

AL DKL
A10




Šifra artikla		promjer		dimenzija		otvor
FADIP	TEHNO	cijevi		konusa	navoja	ključa
		Cola	DN	mm	G	SW
A1005	AL-12	3/16"	5	6	M 12 x 1,5	14
A1006	AL-14	1/4"	6	8	M 14 x 1,5	17
A1008	AL-16	5/16"	8	10	M 16 x 1,5	19
A1010	AL-18	3/8"	10	12	M 18 x 1,5	22
A1013	AL-22	1/2"	12	15	M 22 x 1,5	27
A1016	AL-26	5/8"	16	18	M 26 x 1,5	32
A1019	AL-30	3/4"	20	22	M 30 x 2	36
A1025	AL-36	1"	25	28	M 36 x 2	41
A1032	AL-45	1 1/4"	31	35	M 45 x 2	50
A1038	AL-52	1 1/2"	38		M 52 x 2	60

AL-90 DKL - 90°
A11



Šifra artikla		promjer		dimenzija		otvor	visina	
FADIP	TEHNO	cijevi		konusa	navoja	ključa	priključka	
		Cola	DN	mm	G	SW	A*	A*
A1105	AL-90-12	3/16"	5	6	M 12 x 1,5	14	27	28,5
A1106	AL-90-14	1/4"	6	8	M 14 x 1,5	17	27	30
A1108	AL-90-16	5/16"	8	10	M 16 x 1,5	19	30	31,5
A1110	AL-90-18	3/8"	10	12	M 18 x 1,5	22	34	38,5
A1113	AL-90-22	1/2"	12	15	M 22 x 1,5	27	37	42,5
A1116	AL-90-26	5/8"	16	18	M 26 x 1,5	32	44	47,5
A1119	AL-90-30	3/4"	20	22	M 30 x 2	36	54	58,5
A1125	AL-90-36	1"	25	28	M 36 x 2	41	64	67,5
A1132	AL-90-45	1 1/4"	31	35	M 45 x 2	50	81	76,5
A1138	AL-90-52	1 1/2"	38		M 52 x 2	60	84	94,5

AL-45 DKL - 45°
A12




Šifra artikla		promjer		dimenzija		otvor	visina	
FADIP	TEHNO	cijevi		konusa	navoja	ključa	priključka	
		Cola	DN	mm	G	SW	A*	A*
A1205	AL-45-12	3/16"	5	6	M 12 x 1,5	14	14	12
A1206	AL-45-14	1/4"	6	8	M 14 x 1,5	17	15	13
A1208	AL-45-16	5/16"	8	10	M 16 x 1,5	19	17	15
A1210	AL-45-18	3/8"	10	12	M 18 x 1,5	22	17	17
A1213	AL-45-22	1/2"	12	15	M 22 x 1,5	27	17	17
A1216	AL-45-26	5/8"	16	18	M 26 x 1,5	32	19	19
A1219	AL-45-30	3/4"	20	22	M 30 x 2	36	24	24
A1225	AL-45-36	1"	25	28	M 36 x 2	41	28	28
A1232	AL-45-45	1 1/4"	31	35	M 45 x 2	50	35	35
A1238	AL-45-52	1 1/2"	38	38	M 52 x 2	60	38	38

*tolerancija

*tolerancija

TEŽI - uvjeti rada


AT DKS
A20



Šifra artikla		promjer		dimenzija		otvor
FADIP	TEHNO	cijevi		konusa	navoja	ključa
		Cola	DN	mm	G	SW
A2005	AT-16	3/16"	5	8	M 16 x 1,5	19
A2006	AT-18	1/4"	6	10	M 18 x 1,5	22
A2008	AT-20	5/16"	8	12	M 20 x 1,5	24
A2010	AT-22	3/8"	10	14	M 22 x 1,5	27
A2013	AT-24	1/2"	12	16	M 24 x 1,5	30
A2016	AT-30	5/8"	16	20	M 30 x 2	36
A2019	AT-36	3/4"	20	25	M 36 x 2	46
A2025	AT-42	1"	25	30	M 42 x 2	50
A2032	AT-52	1 1/4"	31	38	M 52 x 2	60

AT-90


DKS - 90°
A21



Šifra artikla		promjer		dimenzija		otvor	visina	
FADIP	TEHNO	cijevi		konusa	navoja	ključa	priključka	
		Cola	DN	mm	G	SW	A*	A*
A2105	AT-90-16	3/16"	5	8	M 16 x 1,5	19	27	24
A2106	AT-90-18	1/4"	6	10	M 18 x 1,5	22	27	27
A2108	AT-90-20	5/16"	8	12	M 20 x 1,5	24	30	30
A2110	AT-90-22	3/8"	10	14	M 22 x 1,5	27	34	34
A2113	AT-90-24	1/2"	12	16	M 24 x 1,5	30	37	37
A2116	AT-90-30	5/8"	16	20	M 30 x 2	36	44	44
A2119	AT-90-36	3/4"	20	25	M 36 x 2	46	54	54
A2125	AT-90-42	1"	25	30	M 42 x 2	50	64	64
A2132	AT-90-52	1 1/4"	31	38	M 52 x 2	60	81	81

AT-45

DKS - 45°
A22




Šifra artikla		promjer		dimenzija		otvor	višina	
FADIP	TEHNO	cijevi		konusa	navoja	ključa	priključka	
		Cola	DN	mm	G	SW	A*	A*
A2205	AT-45-16	3/16"	5	8	M 16 x 1,5	19	14	13
A2206	AT-45-18	1/4"	6	10	M 18 x 1,5	22	14	14
A2208	AT-45-20	5/16"	8	12	M 20 x 1,5	24	15	15
A2210	AT-45-22	3/8"	10	14	M 22 x 1,5	27	17	17
A2213	AT-45-24	1/2"	12	16	M 24 x 1,5	30	17	17
A2216	AT-45-30	5/8"	16	20	M 30 x 2	36	19	19
A2219	AT-45-36	3/4"	20	25	M 36 x 2	46	24	24
A2225	AT-45-42	1"	25	30	M 42 x 2	50	28	28
A2232	AT-45-52	1 1/4"	31	38	M 52 x 2	60	35	35

*tolerancija


Metrični priključak sa O prstenom i 24°konusom LAKI - uvjeti rada

M1
M10 DKOL




Šifra artikla		promjer		dimenzija		otvor
FADIP	TEHNO	cijevi		konusa	navoja	ključa
		Cola	DN	mm	G	SW
M1005	M1-12	3/16"	5	6	M 12 x 1,5	14
M1006	M1-14	1/4"	6	8	M 14 x 1,5	17
M1008	M1-16	5/16"	8	10	M 16 x 1,5	19
M1010	M1-18	3/8"	10	12	M 18 x 1,5	22
M1013	M1-22	1/2"	12	15	M 22 x 1,5	27
M1016	M1-26	5/8"	16	18	M 26 x 1,5	32
M1019	M1-30	3/4"	20	22	M 30 x 2	36
M1025	M1-36	1"	25	28	M 36 x 2	41
M1032	M1-45	1 1/4"	31	35	M 45 x 2	50
M1038	M1-52	1 1/2"	38		M 52 x 2	60

M1-90
M11 DKOL - 90°



Šifra artikla		promjer		dimenzija		otvor	visina	
FADIP	TEHNO	cijevi		konusa	navoja	ključa	priključka	
		Cola	DN	mm	G	SW	A*	A*
M1105	M1-90-12	3/16"	5	6	M 12 x 1,5	14	27	28,5
M1106	M1-90-14	1/4"	6	8	M 14 x 1,5	17	27	30
M1108	M1-90-16	5/16"	8	10	M 16 x 1,5	19	30	31,5
M1110	M1-90-18	3/8"	10	12	M 18 x 1,5	22	34	38,5
M1113	M1-90-22	1/2"	12	15	M 22 x 1,5	27	37	42,5
M1116	M1-90-26	5/8"	16	18	M 26 x 1,5	32	44	47,5
M1119	M1-90-30	3/4"	20	22	M 30 x 2	36	54	58,5
M1125	M1-90-36	1"	25	28	M 36 x 2	41	64	67,5
M1132	M1-90-45	1 1/4"	31	35	M 45 x 2	50	81	76,5
M1138	M1-90-52	1 1/2"	38		M 52 x 2	60	84	94,5

M1-45
M12 DKOL - 45°




Šifra artikla		promjer		dimenzija		otvor	višina	
FADIP	TEHNO	cijevi		konusa	navoja	ključa	priključka	
		Cola	DN	mm	G	SW	A*	A*
M1205	M1-45-12	3/16"	5	6	M 12 x 1,5	14	14	12
M1206	M1-45-14	1/4"	6	8	M 14 x 1,5	17	15	13
M1208	M1-45-16	5/16"	8	10	M 16 x 1,5	19	17	15
M1210	M1-45-18	3/8"	10	12	M 18 x 1,5	22	17	17
M1213	M1-45-22	1/2"	12	15	M 22 x 1,5	27	17	17
M1216	M1-45-26	5/8"	16	18	M 26 x 1,5	32	19	19
M1219	M1-45-30	3/4"	20	22	M 30 x 2	36	24	24
M1225	M1-45-36	1"	25	28	M 36 x 2	41	28	28
M1232	M1-45-45	1 1/4"	31	35	M 45 x 2	50	35	35
M1238	M1-45-52	1 1/2"	38		M 52 x 2	60	38	38

*tolerancija

TEŽI - uvjeti rada M2 M20


DKOS



Šifra artikla		promjer		dimenzija		otvor
FADIP	TEHNO	cijevi		konusa	navoja	ključa
		Cola	DN	mm	G	SW
M2005	M2-16	3/16"	5	8	M 16 x 1,5	19
M2006	M2-18	1/4"	6	10	M 18 x 1,5	22
M2008	M2-20	5/16"	8	12	M 20 x 1,5	24
M2010	M2-22	3/8"	10	14	M 22 x 1,5	27
M2013	M2-24	1/2"	12	16	M 24 x 1,5	30
M2016	M2-30	5/8"	16	20	M 30 x 2	36
M2019	M2-36	3/4"	20	25	M 36 x 2	46
M2025	M2-42	1"	25	30	M 42 x 2	50
M2032	M2-52	1 1/4"	31	38	M 52 x 2	60

M2-90 M21


DKOS - 90°



Šifra artikla		promjer		dimenzija		otvor	visina	
FADIP	TEHNO	cijevi		konusa	navoja	ključa	priključka	
		Cola	DN	mm	G	SW	A*	A*
M2105	M2-90-16	3/16"	5	8	M 16 x 1,5	19	30	24
M2106	M2-90-18	1/4"	6	10	M 18 x 1,5	22	32	27
M2108	M2-90-20	5/16"	8	12	M 20 x 1,5	24	34	30
M2110	M2-90-22	3/8"	10	14	M 22 x 1,5	27	36	34
M2113	M2-90-24	1/2"	12	16	M 24 x 1,5	30	43	37
M2116	M2-90-30	5/8"	16	20	M 30 x 2	36	49	44
M2119	M2-90-36	3/4"	20	25	M 36 x 2	46	59	54
M2125	M2-90-42	1"	25	30	M 42 x 2	50	70	64
M2132	M2-90-52	1 1/4"	31	38	M 52 x 2	60	87	81

M2-45 M22

DKOS - 45°



Šifra artikla		promjer		dimenzija		otvor	visina	
FADIP	TEHNO	cijevi		konusa	navoja	ključa	priključka	
		Cola	DN	mm	G	SW	A*	A*
M2205	M2-45-16	3/16"	5	8	M 16 x 1,5	19	14	13
M2206	M2-45-18	1/4"	6	10	M 18 x 1,5	22	17	14
M2208	M2-45-20	5/16"	8	12	M 20 x 1,5	24	18	15
M2210	M2-45-22	3/8"	10	14	M 22 x 1,5	27	18	17
M2213	M2-45-24	1/2"	12	16	M 24 x 1,5	30	21	17
M2216	M2-45-30	5/8"	16	20	M 30 x 2	36	25	19
M2219	M2-45-36	3/4"	20	25	M 36 x 2	46	30	24
M2225	M2-45-42	1"	25	30	M 42 x 2	50	35	28
M2232	M2-45-52	1 1/4"	31	38	M 52 x 2	60	42	35


*tolerancija

Čeono (ravno) brtvenje Metrika

AGM-F

H1 - laki uvjeti rada

H10




Šifra artikla		promjer		dimenzija	otvor	dužina
FADIP	TEHNO	cijevi		navoja	ključa	priključka
		Cola	DN	G	SW	L*
H1005	H1-10	3/16"	5	M 10 x 1,5	14	10
H1005	H1-12	3/16"	5	M 12 x 1,5	17	10
H1006	H1-14	1/4"	6	M 14 x 1,5	19	10
H1008	H1-16	5/16"	8	M 16 x 1,5	22	10
H1010	H1-18	3/8"	10	M 18 x 1,5	24	10
H1013	H1-22	1/2"	12	M 22 x 1,5	27	12
H1016	H1-26	5/8"	16	M 26 x 1,5	32	12
H1019	H1-30	3/4"	20	M 30 x 2	36	12
H1025	H1-38	1"	25	M 38 x 2	46	14
H1032	H1-45	1 1/4"	31	M 45 x 2	55	14

AGM-F

H2 - teži uvjeti rada

H20




Šifra artikla		promjer		dimenzija	otvor	dužina
FADIP	TEHNO	cijevi		navoja	ključa	priključka
		Cola	DN	G	SW	L*
H2005	H2-16	3/16"	5	M 16 x 1,5	14	10
H2006	H2-18	1/4"	6	M 18 x 1,5	17	10
H2008	H2-20	5/16"	8	M 20 x 1,5	19	10
H2010	H2-22	3/8"	10	M 22 x 1,5	22	12
H2013	H2-24	1/2"	12	M 24 x 1,5	27	12
H2016	H2-30	5/8"	16	M 30 x 2	32	12
H2019	H2-36	3/4"	20	M 36 x 2	36	12
H2025	H2-42	1"	25	M 42 x 2	41	14
H2032	H2-52	1 1/4"	31	M 52 x 2	50	14

*tolerancija

Konusni 24° (muški) priključci

LAKI - uvjeti rada


JL CEL
J10



Šifra artikla		promjer		dimenzija		otvor
FADIP	TEHNO	cijevi		konusa	navoja	ključa
		Cola	DN	RA mm	G	SW
J1005	JL-12	3/16"	5	6	M 12 x 1,5	14
J1006	JL-14	1/4"	6	8	M 14 x 1,5	14
J1008	JL-16	5/16"	8	10	M 16 x 1,5	17
J1010	JL-18	3/8"	10	12	M 18 x 1,5	19
J1013	JL-22	1/2"	12	15	M 22 x 1,5	24
J1016	JL-26	5/8"	16	18	M 26 x 1,5	27
J1019	JL-30	3/4"	20	22	M 30 x 2	32
J1025	JL-38	1"	25	28	M 38 x 2	38
J1032	JL-45	1 1/4"	31	35	M 45 x 2	46
J1038	JL-52	1 1/2"	38	42	M 52 x 2	55

TEŽI - uvjeti rada


JT CES
J20



Šifra artikla		promjer		dimenzija		otvor
FADIP	TEHNO	cijevi		konusa	navoja	ključa
		Cola	DN	RA mm	G	SW
J2005	JT-16	3/16"	5	8	M 16 x 1,5	14
J2006	JT-18	1/4"	6	10	M 18 x 1,5	17
J2008	JT-20	5/16"	8	12	M 20 x 1,5	19
J2010	JT-22	3/8"	10	14	M 22 x 1,5	22
J2013	JT-24	1/2"	12	16	M 24 x 1,5	27
J2016	JT-30	5/8"	16	20	M 30 x 2	32
J2019	JT-36	3/4"	20	25	M 36 x 2	36
J2025	JT-42	1"	25	30	M 42 x 2	41
J2032	JT-52	1 1/4"	31	38	M 52 x 2	50

Za multispiralne cijevi SH (unutarnje ljuštenje)

JT-S
J20




Šifra artikla		promjer		dimenzija		otvor
FADIP	TEHNO	cijevi		konusa	navoja	ključa
		Cola	DN	RA mm	G	SW
J2019	JT-S-36	3/4"	20	25	M 36 x 2	36
J2025	JT-S-42	1"	25	30	M 42 x 2	41
J2032	JT-S-52	1 1/4"	31	38	M 52 x 2	50
J2038	JT-S-68	1 1/2"	38	50	M 68 x 2	60

*tolerancija

Colnati priključci sa 60°konusom

A4 DKR


A40



Šifra artikla		promjer		dimenzija	
FADIP	TEHNO	cijevi		navoja	ključa
		Cola	DN	G	SW
A4005	A4-14*05	3/16"	5	1/4"	17
A4006	A4-14	1/4"	6	1/4"	17
A4008	A4-38*08	5/16"	8	3/8"	22
A4010	A4-38	3/8"	10	3/8"	22
A4013	A4-12	1/2"	12	1/2"	27
A4016	A4-34*16	5/8"	16	3/4"	28
A4019	A4-34	3/4"	20	3/4"	32
A4025	A4-100	1"	25	1"	38
A4032	A4-114	1 1/4"	31	1 1/4"	50
A4038	A4-112	1 1/2"	38	1 1/2"	55
A4050	A4-200	2"	50	2"	

A4-90 DKR-90


A41



Šifra artikla		promjer		dimenzija		visina
FADIP	TEHNO	cijevi		navoja	ključa	priključka
		Cola	DN	G	SW	A*
A4105	A4-90-14*05	3/16"	5	1/4"	17	28,5
A4106	A4-90-14	1/4"	6	1/4"	17	30
A4108	A4-90-38*08	5/16"	8	3/8"	22	31,5
A4110	A4-90-38	3/8"	10	3/8"	22	38,5
A4113	A4-90-12	1/2"	12	1/2"	27	42,5
A4116	A4-90-34*16	5/8"	16	3/4"	28	47,5
A4119	A4-90-34	3/4"	20	3/4"	32	58,5
A4125	A4-90-100	1"	25	1"	38	67,5
A4132	A4-90-114	1 1/4"	31	1 1/4"	50	76,5
A4138	A4-90-112	1 1/2"	38	1 1/2"	55	94,5
A4150	A4-90-200	2"	50	2"		

A4-45 DKR-90

A42




Šifra artikla		promjer		dimenzija		visina
FADIP	TEHNO	cijevi		navoja	ključa	priključka
		Cola	DN	G	SW	A*
A4205	A4-45-14*05	3/16"	5	1/4"	17	12
A4206	A4-45-14	1/4"	6	1/4"	17	13
A4208	A4-45-38*08	5/16"	8	3/8"	22	15
A4210	A4-45-38	3/8"	10	3/8"	22	17
A4213	A4-45-12	1/2"	12	1/2"	27	17
A4216	A4-45-34*16	5/8"	16	3/4"	28	19
A4219	A4-45-34	3/4"	20	3/4"	32	24
A4225	A4-45-100	1"	25	1"	38	28
A4232	A4-45-114	1 1/4"	31	1 1/4"	50	35
A4238	A4-45-112	1 1/2"	38	1 1/2"	55	38

*tolerancija

A5 A50


DKR



Šifra artikla		promjer		dimenzija	
FADIP	TEHNO	cijevi		navoja	ključa
		Cola	DN	G	SW
A5010	A5-12*10	3/8"	10	1/2"	27
A5016	A5-58	5/8"	16	5/8"	32
A5019	A5-100*20	3/4"	19	1"	38
A5025	A5-114*25	1"	25	1 1/4"	50
A5032	A5-112*32	1 1/4"	31	1 1/2"	55
A5038	A5-200	1 1/2"	38	2"	70

A5-90 A51


DKR-90



Šifra artikla		promjer		dimenzija		visina
FADIP	TEHNO	cijevi		navoja	ključa	priključka
		Cola	DN	G	SW	A*
A5110	A5-90-12*10	3/8"	10	1/2"	27	29
A5116	A5-90-58	5/8"	16	5/8"	32	34
A5119	A5-90-100*20	3/4"	19	1"	38	40
A5125	A5-90-114*25	1"	25	1 1/4"	50	46
A5132	A5-90-112*32	1 1/4"	31	1 1/2"	55	59
A5138	A5-90-200	1 1/2"	38	2"	70	74

A5-45 A52

DKR-45




Šifra artikla		promjer		dimenzija		visina
FADIP	TEHNO	cijevi		navoja	ključa	priključka
		Cola	DN	G	SW	A*
A5210	A5-45-12*10	3/8"	10	1/2"	27	16
A5216	A5-45-58	5/8"	16	5/8"	32	18
A5219	A5-45-100*20	3/4"	19	1"	38	21
A5225	A5-45-114*25	1"	25	1 1/4"	50	27
A5232	A5-45-112*32	1 1/4"	31	1 1/2"	55	32
A5238	A5-45-200	1 1/2"	38	2"	70	

*tolerancija

Konusni 60° i 74° (muški) priključci

H4 AGR


H40



Šifra artikla		promjer		dimenzija		visina
FADIP	TEHNO	cijevi		navoja	ključa	priključka
		Cola	DN	G	SW	L*
H4005	H4-14*05	3/16"	5	1/4"	17	11,5
H4006	H4-14	1/4"	6	1/4"	17	11,5
H4008	H4-3/8*08	5/16"	8	3/8"	22	13
H4010	H4-38	3/8"	10	3/8"	22	13
H4013	H4-12	1/2"	12	1/2"	27	15
H4016	H4-58	5/8"	16	5/8"	28	18
H4019	H4-3/4	3/4"	20	3/4"	32	19
H4025	H4-100	1"	25	1"	38	20,5
H4032	H4-114	1 1/4"	31	1 1/4"	50	21
H4038	H4-112	1 1/2"	38	1 1/2"	55	21,5
H4050	H4-200	2"	50	2"	65	22

H4 AGR


H30



Šifra artikla		promjer		dimenzija		visina
FADIP	TEHNO	cijevi		navoja	ključa	priključka
		Cola	DN	G	SW	L*
H3005	H4-1/8*05	3/16"	5	1/8"	14	11,5
H3010	H4-1/2*10	3/8"	10	1/2"	27	13
H3016	H4-3/4*16	5/8"	16	3/4"	32	18
H3019	H4-100*20	3/4"	20	1	38	20,5
H3025	H4-114*25	1"	25	1 1/4"	50	21
H3032	H4-112*32	1 1/4"	31	1 1/2"	55	21,5
H3038	H4-200*38	1 1/2"	38	2"	65	22

K2 AMJ

K10




Šifra artikla		promjer		dimenzija	
FADIP	TEHNO	cijevi		navoja	ključa
		Cola	DN	G	SW
K1005	K2-12	3/16"	5	M 12 x 1,5	14
K1006	K2-14	1/4"	6	M 14 x 1,5	17
K1008	K2-16	5/16"	8	M 16 x 1,5	17
K1010	K2-18	3/8"	10	M 18 x 1,5	22
K1013	K2-22	1/2"	12	M 22 x 1,5	27
K1016	K2-27	5/8"	16	M 27 x 1,5	32
K1019	K2-33	3/4"	20	M 33 x 2	41
K1025	K2-39	1"	25	M 39 x 2	46
K1032	K2-48	1 1/4"	31	M 48 x 2	50

*tolerancija

Metrički priključci sa 74° konusom unutarnji (KOMATSU)

D2


D10



Šifra artikla		promjer		dimenzija	
FADIP	TEHNO	cijevi		navoja	ključa
		Cola	DN	G	SW
D1005	D2-12	3/16"	5	M 12 x 1,5	14
D1006	D2-14	1/4"	6	M 14 x 1,5	17
D1008	D2-16	5/16"	8	M 16 x 1,5	19
D1010	D2-18	3/8"	10	M 18 x 1,5	22
D1013	D2-22	1/2"	12	M 22 x 1,5	27
D1016	D2-27	5/8"	16	M 27 x 1,5	32
D1019	D2-33	3/4"	20	M 33 x 2	36
D1025	D2-39	1"	25	M 39 x 2	41
D1032	D2-48	1 1/4"	31	M 48 x 2	50

D2-90


D11



Šifra artikla		promjer		dimenzija			visina
FADIP	TEHNO	cijevi		navoja	ključa	priključka	
		Cola	DN	G	SW	A*	
D1105	D2-90-12	3/16"	5	M 12 x 1,5	14	18	
D1106	D2-90-14	1/4"	6	M 14 x 1,5	17	25	
D1108	D2-90-16	5/16"	8	M 16 x 1,5	19	28	
D1110	D2-90-18	3/8"	10	M 18 x 1,5	22	35	
D1113	D2-90-22	1/2"	12	M 22 x 1,5	27	42	
D1116	D2-90-27	5/8"	16	M 27 x 1,5	32	45	
D1119	D2-90-33	3/4"	20	M 33 x 2	36	55	
D1125	D2-90-39	1"	25	M 39 x 2	41	68	

D2-45

D12




Šifra artikla		promjer		dimenzija			visina
FADIP	TEHNO	cijevi		navoja	ključa	priključka	
		Cola	DN	G	SW	A*	
D1205	D2-45-12	3/16"	5	M 12 x 1,5	14	20	
D1206	D2-45-14	1/4"	6	M 14 x 1,5	17	20	
D1208	D2-45-16	5/16"	8	M 16 x 1,5	19	20	
D1210	D2-45-18	3/8"	10	M 18 x 1,5	22	21	
D1213	D2-45-22	1/2"	12	M 22 x 1,5	27	24	
D1216	D2-45-27	5/8"	16	M 27 x 1,5	32	26	
D1219	D2-45-33	3/4"	20	M 33 x 2	36	29	
D1225	D2-45-39	1"	25	M 39 x 2	41	33	

*tolerancija


UNF / JIC priključak sa 74°konusom unutarnji

D6 DKJ
D20




Šifra artikla		promjer		dimenzija	
FADIP	TEHNO	cijevi		navoja	ključa
		Cola	DN	G UNF	SW
D2005	D6-716	3/16"	6	7/16" - 20	14
D2006	D6-1/2	1/4"	6	1/2" - 20	17
D2008	D6-916	5/16"	8	9/16" - 18	19
D2010	D6-34	3/8"	10	3/4" - 16	24
D2013	D6-78	1/2"	12	7/8" - 14	27
D2016	D6-1116	5/8"	16	1 1/16" - 12	32
D2019	D6-1116*20	3/4"	20	1 1/16" - 12	32
D2025	D6-1516	1"	25	1 5/16" - 12	38
D2032	D6-158	1 1/4"	31	1 5/8" - 12	50

D6-90 DKJ-90
D21



Šifra artikla		promjer		dimenzija		visina
FADIP	TEHNO	cijevi		navoja	ključa	priključka
		Cola	DN	G UNF	SW	A*
D2105	D6-90-716	3/16"	6	7/16" - 20	14	18
D2106	D6-90-1/2	1/4"	6	1/2" - 20	17	25
D2108	D6-90-916	5/16"	8	9/16" - 18	19	28
D2110	D6-90-34	3/8"	10	3/4" - 16	24	35
D2113	D6-90-78	1/2"	12	7/8" - 14	27	42
D2116	D6-90-1116	5/8"	16	1 1/16" - 12	32	45
D2119	D6-90-1116*20	3/4"	20	1 1/16" - 12	32	55
D2125	D6-90-1516	1"	25	1 5/16" - 12	38	68
D2132	D6-90-158	1 1/4"	31	1 5/8" - 12	50	


D6-45 DKJ-45
D22



Šifra artikla		promjer		dimenzija		visina
FADIP	TEHNO	cijevi		navoja	ključa	priključka
		Cola	DN	G UNF	SW	A*
D2205	D6-45-716	3/16"	6	7/16" - 20	14	20
D2206	D6-45-1/2	1/4"	6	1/2" - 20	17	20
D2208	D6-45-916	5/16"	8	9/16" - 18	19	20
D2210	D6-45-34	3/8"	10	3/4" - 16	24	21
D2213	D6-45-78	1/2"	12	7/8" - 14	27	24
D2216	D6-45-1116	5/8"	16	1 1/16" - 12	32	26
D2219	D6-45-1116*20	3/4"	20	1 1/16" - 12	32	29
D2225	D6-45-1516	1"	25	1 5/16" - 12	38	33
D2232	D6-45-158	1 1/4"	31	1 5/8" - 12	50	


*tolerancija

D6 DKJ D30




Šifra artikla		promjer		dimenzija	
FADIP	TEHNO	cijevi		navoja	ključa
		Cola	DN	G UNF	SW
D3006	D6-716*05	1/4"	5	7/16" - 20	14
D3010	D6-916*10	3/8"	10	9/16" - 18	19
D3013	D6-3/4*12	1/2"	12	3/4" - 16	24
D3016	D6-78*16	5/8"	16	7/8" - 14	27
D3019	D6-1516*20	3/4"	20	1 5/16" - 12	38
D3025	D6-158*25	1"	25	1 5/8" - 12	50
D4006	D6-916*06	1/4"	6	9/16" - 18	19

D6-90 DKJ-90 D31



Šifra artikla		promjer		dimenzija		visina
FADIP	TEHNO	cijevi		navoja	ključa	priključka
		Cola	DN	G UNF	SW	A*
D3106	D6-90-716*05	1/4"	5	7/16" - 20	14	20
D3110	D6-90-916*10	3/8"	10	9/16" - 18	19	26
D3113	D6-90-34*12	1/2"	12	3/4" - 16	24	30
D3116	D6-90-78*16	5/8"	16	7/8" - 14	27	36
D3119	D6-90-1516*20	3/4"	20	1 5/16" - 12	38	42
D3125	D6-90-158*25	1"	25	1 5/8" - 12	50	55
D4106	D6-90-916*06	1/4"	6	9/16" - 18	19	20

D6-45 DKJ-45 D32




Šifra artikla		promjer		dimenzija		visina
FADIP	TEHNO	cijevi		navoja	ključa	priključka
		Cola	DN	G UNF	SW	A*
D3206	D6-45-716*05	1/4"	5	7/16" - 20	14	20
D3210	D6-45-916*10	3/8"	10	9/16" - 18	19	21
D3213	D6-45-34*12	1/2"	12	3/4" - 16	24	24
D3216	D6-45-78*16	5/8"	16	7/8" - 14	27	26
D3219	D6-45-1516*20	3/4"	20	1 5/16" - 12	38	29
D3225	D6-45-158*25	1"	25	1 5/8" - 12	50	33
D4206	D6-45-916*06	1/4"	6	9/16" - 18	19	20

*tolerancija

UNF / JIC priključak sa 74°konusom vanjskim

K6 AGJ


K20



Šifra artikla		promjer		dimenzija	
FADIP	TEHNO	cijevi		navoja	ključa
		Cola	DN	G UNF	SW
K2005	K6-716	3/16"	6	7/16" - 20	14
K2006	K6-1/2	1/4"	6	1/2" - 20	17
K2008	K6-916	5/16"	8	9/16" - 18	19
K2010	K6-34	3/8"	10	3/4" - 16	24
K2013	K6-78	1/2"	12	7/8" - 14	27
K2016	K6-1116	5/8"	16	1 1/16" - 12	32
K2019	K6-1116*20	3/4"	20	1 1/16" - 12	32
K2025	K6-1516	1"	25	1 5/16" - 12	38
K2032	K6-158	1 1/4"	31	1 5/8" - 12	46

K6 DKJ


K30



Šifra artikla		promjer		dimenzija	
FADIP	TEHNO	cijevi		navoja	ključa
		Cola	DN	G UNF	SW
K3006	K6-716*05	1/4"	5	7/16" - 20	14
K3010	K6-916*10	3/8"	10	9/16" - 18	19
K3013	K6-34*12	1/2"	12	3/4" - 16	24
K3016	K6-78*16	5/8"	16	7/8" - 14	27
K3019	K6-1516*20	3/4"	20	1 5/16" - 12	38
K3025	K6-158*25	1"	25	1 5/8" - 12	38

K6 AGJ

K40




Šifra artikla		promjer		dimenzija	
FADIP	TEHNO	cijevi		navoja	ključa
		Cola	DN	G UNF	SW
K4006	K6-916*06	1/4"	6	9/16" - 18	14
K4010	K6-916*10	3/8"	10	9/16" - 18	19
K4013	K6-1116*12	1/2"	12	1 1/16" - 12	32

*tolerancija

OKASTI PRIKLJUČAK


B - Priključak za metričke navoje

B1 RN B10



Šifra artikla		promjer		dimenzija	visina
FADIP	TEHNO	cijevi		navoja	priključka
		Cola	DN	D	H mm
B1005	B1-10	3/16"	5	M 10 x 1	10,5
B1006	B1-12	1/4"	6	M 12 x 1,5	12
B1008	B1-14	5/16"	8	M 14 x 1,5	15,5
B1010	B1-16	3/8"	10	M 16 x 1,5	18
B1013	B1-18	1/2"	12	M 18 x 1,5	20
B1016	B1-22	5/8"	16	M 22 x 1,5	22,5
B1019	B1-26	3/4"	20	M 26 x 1,5	34
B1025	B1-30	1"	25	M 30 x 2	

B2 RN B20




Šifra artikla		promjer		dimenzija	visina
FADIP	TEHNO	cijevi		navoja	priključka
		Cola	DN	D	H mm
B2006	B2-14	1/4"	6	M 14 x 1,5	15,5
B2008	B2-16	5/16"	8	M 16 x 1,5	18
B2010	B2-18	3/8"	10	M 18 x 1,5	20
B2013	B2-22	1/2"	12	M 22 x 1,5	22,5
B2016	B2-26	5/8"	16	M 26 x 1,5	30
B2019	B2-30	3/4"	20	M 30 x 1,5	34
B2025		1"	25		

B3010	B2-22	3/8"	10	M 22 x 1,5	22,5
-------	-------	------	----	------------	------

B - Priključak za colnate navoje

B4 RN B40




Šifra artikla		promjer		dimenzija	visina
FADIP	TEHNO	cijevi		navoja	priključka
		Cola	DN	D	H mm
B4008	B4-14	5/16"	8	1/4"	13,2
B4010	B4-38	3/8"	10	3/8"	18
B4108	B4-38*08	5/16"	8	3/8"	18
B4110	B4-12*10	3/8"	10	1/2"	21

*tolerancija


Prirubnički priključak (Flanda)

P1 SFL3 P10




Šifra artikla		promjer		širina
FADIP	TEHNO	cijevi		prirubnice
		Cola	DN	D mm
P1013	P1-30*12	1/2"	12	30,2
P1019	P1-38*20	3/4"	19	38,1
P1025	P1-44*25	1"	25	44,5
P1032	P1-50*32	1 1/4"	32	50,8
P1038	P1-60*38	1 1/2"	38	60,3
P1050	P1-71*50	2	50	71,4

P1-90 SFL-90 P11



Šifra artikla		promjer		širina	višina
FADIP	TEHNO	cijevi		prirubnice	priključka
		Cola	DN	D mm	A*
P1113	P1-90-30*12	1/2"	12	30,2	40
P1119	P1-90-38*20	3/4"	19	38,1	63
P1125	P1-90-44*25	1"	25	44,5	75
P1132	P1-90-50*32	1 1/4"	32	50,8	91
P1138	P1-90-60*38	1 1/2"	38	60,3	111
P1150	P1-90-71*50	2	50	71,4	

P1-45 SFL-45 P12




Šifra artikla		promjer		širina	višina
FADIP	TEHNO	cijevi		prirubnice	priključka
		Cola	DN	D mm	A*
P1213	P1-45-30*12	1/2"	12	30,2	40
P1219	P1-45-38*20	3/4"	19	38,1	60
P1225	P1-45-44*25	1"	25	44,5	69
P1232	P1-45-50*32	1 1/4"	32	50,8	81
P1238	P1-45-60*38	1 1/2"	38	60,3	98
P1250	P1-45-71*50	2	50	71,4	

* tolerancija

P-priključak za multispiralne cijevi SH (unutarne ljuštenje)

P1-S SFL-3-S


P20



Šifra artikla		promjer		širina	
FADIP	TEHNO	cijevi		prirubnice	
		Cola	DN	D mm	
P2013	P1-S-31*12	1/2"	12	31,7	
P2019	P1-S-41*20	3/4"	19	41,3	
P2025	P1-S-47*47	1"	25	47,6	
P2032	P1-S-54*32	1 1/4"	32	54	
P2038	P1-S-63*38	1 1/2"	38	63,5	
P2050	P1-S-79*50	2	50	79,4	

P1-S-90 SFL-3-S-90


P21



Šifra artikla		promjer		širina		višina
FADIP	TEHNO	cijevi		prirubnice		priključka
		Cola	DN	D mm		A*
P2113	P1-S-90-31*12	1/2"	12	31,7		40
P2119	P1-S-90-41*20	3/4"	19	41,3		63
P2125	P1-S-90-47*25	1"	25	47,6		75
P2132	P1-S-90-54*32	1 1/4"	32	54		91
P2138	P1-S-90-63*38	1 1/2"	38	63,5		111
P2150	P1-S-90-79*50	2	50	79,4		

P1-45 SFL-3-S-45

P22




Šifra artikla		promjer		širina		višina
FADIP	TEHNO	cijevi		prirubnice		priključka
		Cola	DN	D mm		A*
P2213	P1-S-45-31*12	1/2"	12	31,7		40
P2219	P1-S-45-41*20	3/4"	19	41,3		60
P2225	P1-S-45-47*25	1"	25	47,6		69
P2232	P1-S-45-54*32	1 1/4"	32	54		81
P2238	P1-S-45-63*38	1 1/2"	38	63,5		98
P2250	P1-S-45-79*50	2	50	79,4		

* tolerancija


Prirubnički priključak (Flanda)

P2 SFL-6
P30




Šifra artikla		promjer		širina
FADIP	TEHNO	cijevi		prirubnice
		Cola	DN	D mm
P3013	P2-38*12	1/2"	12	38,1
P3019	P2-44*20	3/4"	19	44,5
P3025	P2-50*25	1"	25	50,8
P3032	P2-60*32	1 1/4"	32	60,3
P3038	P2-71*38	1 1/2"	38	71,4

P2-90 SFL-6-90
P31



Šifra artikla		promjer		širina	višina
FADIP	TEHNO	cijevi		prirubnice	priključka
		Cola	DN	D mm	A*
P3113	P2-90-38*12	1/2"	12	38,1	40
P3119	P2-90-44*20	3/4"	19	44,5	63
P3125	P2-90-50*25	1"	25	50,8	75
P3132	P2-90-60*32	1 1/4"	32	60,3	91
P3138	P2-90-71*38	1 1/2"	38	71,4	111

P2-45 SFL-6-45
P32




Šifra artikla		promjer		širina	višina
FADIP	TEHNO	cijevi		prirubnice	priključka
		Cola	DN	D mm	A*
P3213	P2-45-38*12	1/2"	12	38,1	40
P3219	P2-45-44*20	3/4"	19	44,5	60
P3225	P2-45-50*25	1"	25	50,8	69
P3232	P2-45-60*32	1 1/4"	32	60,3	81
P3238	P2-45-71*38	1 1/2"	38	71,4	98

* tolerancija

P-priključak za multispiralne cijevi SH (unutarne ljuštenje)

P2-S SFL-6-S


P40



Šifra artikla		promjer		širina	
FADIP	TEHNO	cijevi		prirubnice	
		Cola	DN	D mm	
P4013	P2-S-41*12	1/2"	12	41,3	
P4019	P2-S-47*20	3/4"	19	47,6	
P4025	P2-S-54*25	1"	25	54	
P4032	P2-S-63*32	1 1/4"	32	63,5	
P4038	P2-S-79*38	1 1/2"	38	79,4	

P2-S-90 SFL-6-S-90


P41



Šifra artikla		promjer		širina		višina
FADIP	TEHNO	cijevi		prirubnice		priključka
		Cola	DN	D mm		A*
P4113	P2-S-90-41*12	1/2"	12	41,3		40
P4119	P2-S-90-47*20	3/4"	19	47,6		63
P4125	P2-S-90-54*25	1"	25	54		75
P4132	P2-S-90-63*32	1 1/4"	32	63,5		91
P4138	P2-S-90-79*38	1 1/2"	38	79,4		111

P2-S-45 SFL-6-S-45

P42




Šifra artikla		promjer		širina		višina
FADIP	TEHNO	cijevi		prirubnice		priključka
		Cola	DN	D mm		A*
P4213	P2-S-45-41*12	1/2"	12	41,3		40
P4219	P2-S-45-47*20	3/4"	19	47,6		60
P4225	P2-S-45-54*25	1"	25	54		69
P4232	P2-S-45-63*32	1 1/4"	32	63,5		81
P4238	P2-S-45-79*38	1 1/2"	38	79,4		98

* tolerancija


Priključki za čistilce na vodo

K22 K25



Šifra artikla		promjer		
FADIP	TEHNO	cijevi		navoja
		Cola	DN	G
A2506	K22-06	1/4"	6	M 22 x 1,5
A2508	K22-08	5/16"	8	M 22 x 1,5
A2510	K22-10	3/8"	10	M 22 x 1,5
	K21-06	1/4"	6	M 22 x 1,5
A2521	K21-08	3/8"	08	M 22 x 1,5

F25




Šifra artikla		promjer	
FADIP	TEHNO	cijevi	
		Cola	DN
F2505	X-10	1/4"	6
F2506	X-11	1/4"	6
F2508	X-10	5/16"	8
F2508	X-11	5/16"	8


*tolerancija

Prirubnice za P priključke

Pogled A



Pogled B




AFS - 3 3000 PSI

šifra artikla	promjer cijevi		Pogled A				Pogled B			
	cola	DN	A	B	C	fi Z/M	F	G	H	J
AFS301	1/2"	12	46,1	17,5	38,1	9	12,7	6,2	24,6	31
AFS302	3/4"	19	52,4	22,2	47,6	11	14,2	6,2	32,6	38,9
AFS303	1"	25	58,7	26,2	52,4	11	15,7	7,5	38,9	45,2
AFS304	1 1/4"	31	73	30,2	58,7	12	14,2	7,5	44	51,6
AFS305	1 1/2"	38	82,6	35,7	69,9	13,5	15,7	7,5	51,2	61,1
AFS306	2"	50	96,8	42,9	77,8	13,5	15,7	9	63,1	72,2


AFS - 6 6000 PSI

šifra artikla	promjer cijevi		Pogled A				Pogled B			
	cola	DN	A	B	C	fi Z/M	F	G	H	J
AFS601	1/2"	12	49,2	18,2	40,5	9	16	7,1	24,6	32,5
AFS602	3/4"	19	61,8	23,8	50,8	11	19	8,1	32,5	42
AFS603	1"	25	71,4	27,8	57,2	13	24	8,9	38,9	48,4
AFS604	1 1/4"	31	79,2	31,8	66,7	15	27	9,7	44,5	54,8
AFS605	1 1/2"	38	96,8	36,6	79,4	17	30	11,9	51,5	64,3
AFS606	2"	50	115,6	44,4	96,8	21	37	11,9	67,5	80,2



promjer cijevi		Dimenzija		Tvrdoća
cola	DN	D	d	Shore
1/2"	12	18,6	3,5	75°
3/4"	19	25	3,5	75°
1"	25	32,9	3,5	75°
1 1/4"	31	37,7	3,5	75°
1 1/2"	38	47,2	3,5	75°
2"	50	56,7	3,5	75°

Kako se vrši mjerenje cijevi




Pravilna montaža hidrauličnih cevi

Nije ispravno

Može proći

Ispravno postavljeno



Određivanje kuta zaokreta kod naručivanja cijevi

